



## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>Address:</b>	<input type="text" value="http://hnh315.aisites.com/imd210/index.htm"/>	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

Show Source

Show Outline

List Messages Sequentially  Group Error Messages by Type

Validate error pages

Verbose Output

Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

## Congratulations

The document located at <http://hmh315.aisites.com/imd210/index.htm> was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fhmh315.aisites.com%2Fimd210%2Findex.htm> (or you can just add the current page to your bookmarks or hotlist).

### Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a







## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file constellations2.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type  
 Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "constellations2.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### **"valid" Icon(s) on your Web page**

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file contact.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type  
 Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "contact.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```



```
<p>
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### Validating CSS Style Sheets

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file constellations1.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type
- Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "constellations1.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### ***Validating CSS Style Sheets***

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file draco.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type
- Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "draco.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file <i>final.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type  
 Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "final.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```



```
<p>
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### Validating CSS Style Sheets

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file little.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type  
 Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "little.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### **"valid" Icon(s) on your Web page**

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### Validating CSS Style Sheets

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file login.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type  
 Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "login.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file milky.htm	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type
- Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "milky.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### ***Validating CSS Style Sheets***

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File :</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file orion.htm</i>	
<b>Encoding :</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype :</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type  
 Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy

[Help](#) on the options is available.

## Congratulations

The uploaded document "orion.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:





```
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```



```
<p>
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### Validating CSS Style Sheets

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file q1.htm</i>	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type
- Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "q1.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### ***Validating CSS Style Sheets***

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file q2.htm	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type
- Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "q2.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```



```
<p>
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file q3.htm</i>	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type
- Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "q3.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```



```
<p>
<a href="http://validator.w3.org/check?uri=referer"></a>
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### Validating CSS Style Sheets

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file q4.htm	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type
- Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "q4.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file q4.htm	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type
- Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "q4.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file q2.htm</i>	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type
- Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "q2.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





# Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> <i>Use the file selection box above if you wish to re-validate the uploaded file q3.htm</i>	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

## Options

- Show Source     
 Show Outline     
 List Messages Sequentially     
 Group Error Messages by Type  
 Validate error pages     
 Verbose Output     
 Clean up Markup with HTML Tidy


[Help](#) on the options is available.

## Congratulations

The uploaded document "q3.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### ***Validating CSS Style Sheets***

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file q4.htm	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type
- Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "q4.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### ***Validating CSS Style Sheets***

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file q4.htm	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type
- Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "q4.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

---

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a





## Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Transitional!

<b>Result:</b>	Passed	
<b>File:</b>	<input type="text"/> <input type="button" value="Browse..."/> Use the file selection box above if you wish to re-validate the uploaded file q2.htm	
<b>Encoding:</b>	iso-8859-1	<input type="text" value="(detect automatically)"/>
<b>Doctype:</b>	XHTML 1.0 Transitional	<input type="text" value="(detect automatically)"/>
<b>Root Element:</b>	html	
<b>Root Namespace:</b>	<a href="http://www.w3.org/1999/xhtml">http://www.w3.org/1999/xhtml</a>	

### Options

- Show Source     
  Show Outline     
  List Messages Sequentially     
  Group Error Messages by Type
- Validate error pages     
  Verbose Output     
  Clean up Markup with HTML Tidy


[Help](#) on the options is available.

### Congratulations

The uploaded document "q2.htm" was successfully checked as XHTML 1.0 Transitional. This means that the resource in question identified itself as "XHTML 1.0 Transitional" and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used).

#### "valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



<p>



```
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

### **Validating CSS Style Sheets**

If you use [CSS](#) in your document, you can check it using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#)



APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

This is the W3C Markup Validator, [v0.8.3](#).  
COPYRIGHT © 1994-2007 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES

Support this tool, become a

